

# Deadlock

Introduction to Operating Systems

# Modeling Resource Contention

- System consists of resources
- Resource types  $R_1, R_2, \dots, R_m$   
*CPU cycles, memory space, I/O devices*
- Each resource type  $R_i$  has  $W_i$  instances.
- Each process utilizes a resource as follows:
  - **Request**
  - **Use (exclusive)**
  - **Release**

# Conditions for Deadlock

- **Mutual exclusion**: only one process at a time can use a resource
- **Hold and wait**: a process holding at least one resource is waiting to acquire additional resources held by other processes
- **No preemption**: a resource can be released only voluntarily by the process holding it, after that process has completed its task
- **Circular wait**: a process is holding onto a resource (R) while it is waiting for some other resource that can only be released after R is released

# The Circular Wait Problem

A set  $\{P_0, P_1, \dots, P_n\}$  of waiting processes:

- $P_0$  is waiting for a resource that is held by  $P_1$
- $P_1$  is waiting for a resource that is held by  $P_2$ ,
- ...
- $P_{n-1}$  is waiting for a resource that is held by  $P_n$ , and
- $P_n$  is waiting for a resource that is held by  $P_0$ .

# The Circular Wait Problem

Dining Philosophers problem:


- All philosophers have picked up one chopstick
- Each is waiting for their 2<sup>nd</sup> chopstick
- But none can be released until one of the philosophers can pick up that 2<sup>nd</sup> chopstick...

# Resource Allocation Graph


- Vertices are of two types:
  - $P = \{P_1, P_2, \dots, P_n\}$ , the set consisting of all the processes in the system
  - $R = \{R_1, R_2, \dots, R_m\}$ , the set consisting of all resource types in the system
- **Request edge:** directed edge  $P_i \rightarrow R_j$
- **Assignment edge:** directed edge  $R_j \rightarrow P_i$

# Resource Allocation Graph: Notation


- Process




- Resource Type with 4 instances



- $P_i$  requests instance of  $R_j$




- $P_i$  is holding an instance of  $R_j$




# Example: Resource Allocation Graph

- State:
  - P1 has R2 and is waiting for R1
  - P2 has R2 and is waiting for R3
  - P3 has R3
- Assuming no other allocation requests, can all of the processes complete execution?
- Yes!




# Example 2: Resource Allocation Graph

- State:
  - P1 has R2 and is waiting for R1
  - P2 has R2 and is waiting for R3
  - P3 has R3 and is waiting for R2
- Assuming no other allocation requests, can all of the processes complete execution?
- No! Everyone is waiting on somebody else



# Example 3: Resource Allocation Graph

- State:
  - P1 has R2 and is waiting for R1
  - P2 has R1
  - P3 has R1 and is waiting for R2
  - P4 has R2
- Assuming no other allocation requests, can all of the processes complete execution?
- Yes!



# Deadlock

How do we know if we have a deadlock?

- If graph contains no cycles  $\Rightarrow$  no deadlock
- If graph contains a cycle  $\Rightarrow$ 
  - If only one instance per resource type, then deadlock
  - If several instances per resource type, possibility of deadlock

# Dealing with Deadlocks

- Ensure that the system will **never** enter a deadlock state:
  - Deadlock prevention
  - Deadlock avoidance
- Allow the system to enter a deadlock state and then recover
- Ignore the problem and pretend that deadlocks never occur in the system; used by most operating systems, including UNIX

# Deadlock Prevention

Approach: we don't allow one of the four **necessary conditions** to hold

- Mutual Exclusion
- Hold and Wait
- No preemption
- Circular wait

# Deadlock Prevention

## Mutual Exclusion

- Do not lock sharable resources (e.g., read-only files)
- But, this does not address non-sharable resources

# Deadlock Prevention

## Hold and Wait

- Guarantee that whenever a process requests a resource, it does not hold any other resources
- One approach: process must request all resources up front, as a single unit
- Another approach: only allow a process to request resources only when the process has none allocated to it
- Problems: Low resource utilization; starvation possible

# Deadlock Prevention

## No Preemption:

- If a process that is holding some resources requests another resource that cannot be immediately allocated to it, then all resources currently being held are released
- Preempted resources are added to the list of resources for which the process is waiting
- Process will be restarted only when it can regain its old resources, as well as the new ones that it is requesting

# Deadlock Prevention

## Circular Wait

- Impose a total ordering of all resource types
- Require that each process requests resources in an increasing order of enumeration
- Two processes cannot both block while waiting for resources that are held by the opposite process

# Deadlock Example

## Prevention:

- Could force total ordering on the locks
- Could force one thread to give up locks when preempted

```
/* thread one runs in this function */

void *do_work_one(void *param)
{
    pthread_mutex_lock(&first_mutex);
    pthread_mutex_lock(&second_mutex);
    /** * Do some work */
    pthread_mutex_unlock(&second_mutex);
    pthread_mutex_unlock(&first_mutex);
    pthread_exit(0);
}

/* thread two runs in this function */

void *do_work_two(void *param)
{
    pthread_mutex_lock(&second_mutex);
    pthread_mutex_lock(&first_mutex);
    /** * Do some work */
    pthread_mutex_unlock(&first_mutex);
    pthread_mutex_unlock(&second_mutex);
    pthread_exit(0);
}
```

# Deadlock Example

Two different transactions execute concurrently:

- Transaction 1 transfers \$25 from account A to account B, and
- Transaction 2 transfers \$50 from account B to account A

Prevention:

- Could have a total ordering of accounts
- Could require all resources to be allocated simultaneously

```
void transaction(Account from,  
                  Account to,  
                  double amount)  
{  
    mutex lock1, lock2;  
    lock1 = get_lock(from);  
    lock2 = get_lock(to);  
    acquire(lock1);  
    acquire(lock2);  
    withdraw(from, amount);  
    deposit(to, amount);  
    release(lock2);  
    release(lock1);  
}
```

# Deadlock Prevention

- Kernel can take preventative steps
  - Resource utilization could be poor
- Or the application programmer can take explicit steps
  - E.g., ordering of lock operations
  - Dealing with preemption
- This approach relies on programmers doing the right thing
  - Generally, this is a bad idea...

# Deadlock Avoidance

- Deadlock prevention techniques place a lot of restrictions on what can be done
  - In particular: allocation decisions are made using uniformly applied rules
- Next approach (avoidance): dynamically make allocation decisions on a case-by-case basis
  - Only allow an allocation to proceed if there is no opportunity in the current system for deadlock

# Deadlock Avoidance

## Process Model:

- Each process must declare up front the maximum number of resources of each type that it ***may need*** to complete execution
- Then, during execution, the process may request those resources as they are actually needed
  - Must respect the declared needs at the start

# System State

Three possible situations:

- **Deadlock**: a circular wait has happened
- **Safe**: given the current allocations and the potential allocation of the remaining needs, all processes can complete without deadlock occurring
- **Unsafe**: deadlock has not occurred, but if the right set of needs are requested, then deadlock will happen


# Safe State

- System is in **safe state** if there exists a sequence  $\langle P_1, P_2, \dots, P_n \rangle$  of ALL the executing processes such that:
  - $P_1$  can allocate its remaining needs from the available resources, use them, and then free all of its resources
  - Each  $P_i$  can allocate its remaining needs from the available resources **plus** those that would be released by processes  $P_1 \dots P_{i-1}$
- That is:
  - If  $P_i$  resource needs are not immediately available, then  $P_i$  can wait until all  $P_j$  have finished (where  $j < i$ )
  - $P_i$  can then obtain the needed resources, execute, return allocated resources, and terminate
  - When  $P_i$  terminates,  $P_{i+1}$  is guaranteed to be able to obtain its needed resources, etc.

# System State

Three possible situations:

- **Deadlock**: a circular wait has happened
- **Safe**: all processes can complete without deadlock occurring
- **Unsafe**: deadlock has not occurred, but if the right set of needs are requested, then deadlock will happen



# System Allocation Algorithm

- Goal: always stay in a safe state
- When a new request is made by a process:
  - Kernel tests whether the new state will be safe or not
  - If safe, then allocation is allowed
  - If unsafe, then the process is placed in a waiting queue until a safe state can be achieved

# Avoidance Algorithms

- All resources are single-instance:
  - We can just look at the resource allocation graph to determine whether a cycle can happen
- Multiple instances of some resources:
  - Use the **Banker's Algorithm** to determine safe vs unsafe

# Resource Allocation Graph Scheme


- **Claim edge**  $P_i \rightarrow R_j$  indicates that process  $P_i$  may request resource  $R_j$ ; represented by a **dashed line**
- Claim edge converts to request edge when a process requests a resource.
  - Request edge:  $P_i \rightarrow R_j$  **solid line**
- Request edge converted to an assignment edge when the resource is allocated to the process
  - Assignment edge:  $R_j \rightarrow P_i$  **solid line**
- When a resource is released by a process, assignment edge reconverts back to a claim edge
- All resources must be claimed before any allocation requests are made

# Resource Allocation Graph

- P1:
  - Claimed: R2
  - Assigned R1
- P2:
  - Claimed: R2
  - Requested: R1

Two independent questions:

- If P1 requests R2, is it safe to assign it?
- If P2 requests R2, is it safe to assign it?




# Resource-Allocation Graph

Hypothetical: Assign R2 to P2:

- Now in an unsafe state!
- If P1 then requests R2, we will have deadlock

Conclusion: we should not assign R2 to P2 right now




# Resource Allocation Graph

- P1:
  - Claimed: R2
  - Assigned R1
- P2:
  - Claimed: R2
  - Requested: R1

Two independent questions:

- If P1 requests R2, is it safe to assign it?
- If P2 requests R2, is it safe to assign it?




# Resource Allocation Graph

Assign R2 to P1:

- We do not have a cycle

Conclusion: we can safely perform this assignment



# Resource-Allocation Graph Algorithm

Suppose that process  $P_i$  requests a resource  $R_j$ :

- The request can be granted only if converting the request edge to an assignment edge does not result in the formation of a cycle in the resource allocation graph
- If a cycle would result, then the process is placed into a waiting queue

This works great if there is only one instance per resource type

# Banker's Algorithm

- Multiple instances of each resource
  - These are interchangeable instances
- Each process must claim the maximum use of resources before any requests can be made
- When a process requests a resource it may have to wait
- When a process gets all its resources it must return them and terminate in a finite amount of time

# Data Structures for the Banker's Algorithm

Let  $n$  = number of processes, and  $m$  = number of resources types.

- **Available**: Vector of length  $m$ . If  $\text{available}[j] == k$ , there are  $k$  instances of resource type  $R_j$  available to be allocated
- **Max**:  $n \times m$  matrix. If  $\text{Max}[i,j] == k$ , then process  $P_i$  may request at most  $k$  instances of resource type  $R_j$
- **Allocation**:  $n \times m$  matrix. If  $\text{Allocation}[i,j] == k$  then  $P_i$  is currently allocated  $k$  instances of  $R_j$
- **Need**:  $n \times m$  matrix. If  $\text{Need}[i,j] == k$ , then  $P_i$  may need  $k$  more instances of  $R_j$  to complete its task

$$\text{Need}[i,j] = \text{Max}[i,j] - \text{Allocation}[i,j]$$

# Banker's Algorithm: Determining Safety

Let **Work** and **Finish** be vectors of length  $m$  and  $n$ , respectively. Initialize:

**Work** = Available

**Finish** [i] = false for  $i = 0, 1, \dots, n-1$

2. Find an  $i$  such that both:

(a) **Finish** [i] = false

(b) **Need** $_i \leq Work$  // NOTE: all resource needs of process  $i$  must be fulfillable

If no such  $i$  exists, go to step 4

3. **Work** = **Work** + **Allocation** $_i$

**Finish**[i] = true

go to step 2

4. If **Finish** [i] == true for all  $i$ , then the system is in a safe state

Otherwise, it is unsafe

- Examples

# Using the Banker's Algorithm

$\text{Request}_i$  = request vector for process  $P_i$ . If  $\text{Request}_i[j] = k$  then process  $P_i$  wants  $k$  instances of resource type  $R_j$ . Three cases:

1. If  $\text{Request}_i > \text{Need}_i$ , raise error condition, since process has exceeded its maximum claim
2. If  $\text{Request}_i > \text{Available}$ ,  $P_i$  must wait, since the resources are not available
3. **Pretend** to allocate requested resources to  $P_i$  by modifying the state as follows:

$$\text{Available} = \text{Available} - \text{Request}_i;$$

$$\text{Allocation}_i = \text{Allocation}_i + \text{Request}_i;$$

$$\text{Need}_i = \text{Need}_i - \text{Request}_i;$$

- If safe  $\Rightarrow$  the resources are allocated to  $P_i$
- If unsafe  $\Rightarrow P_i$  must wait, and the old resource-allocation state is restored

# Banker's Example III

Process	Allocation			Max			Available		
	A	B	C	A	B	C	A	B	C
P <sub>0</sub>	0	1	0	7	5	3	3	3	2
P <sub>1</sub>	2	0	0	3	2	2			
P <sub>2</sub>	3	0	2	9	0	2			
P <sub>3</sub>	2	1	1	2	2	2			
P <sub>4</sub>	0	0	2	4	3	3			

# Banker's Example IV

New request by Process 1: 1,0,2

- Will we be in a safe state?

Process	Allocation			Max			Available		
	A	B	C	A	B	C	A	B	C
P <sub>0</sub>	0	1	0	7	5	3	3	3	2
P <sub>1</sub>	2	0	0	3	2	2			
P <sub>2</sub>	3	0	2	9	0	2			
P <sub>3</sub>	2	1	1	2	2	2			
P <sub>4</sub>	0	0	2	4	3	3			

# Deadlock Summary

Necessary and sufficient conditions for deadlock (all must be true):

- Mutual Exclusion
- Hold and Wait
- No preemption
- Circular wait

# Deadlock Summary

## Deadlock Prevention:

- Fixed set of rules that apply to all situations
- Remove one of the necessary conditions
- Simple
- But: can be overly conservative and may not give us good use of the available resources

# Deadlock Summary

## Deadlock Avoidance:

- Make context-specific decisions on the fly as to whether an allocation request should be granted
- Single instance per resource type:
  - Use allocation graph
  - If an allocation results in a cycle, then do not grant it
- Multiple instances per resource type:
  - Banker's Algorithm
  - If an allocation results in an unsafe state, then do not grant it